

SA's Leading Past Year

Exam Paper Portal

S T U D Y

You have Downloaded, yet Another Great
Resource to assist you with your Studies ☺

Thank You for Supporting SA Exam Papers

Your Leading Past Year Exam Paper Resource Portal

Visit us @ www.saexamapers.co.za





Province of the
EASTERN CAPE
EDUCATION



**NATIONAL
SENIOR CERTIFICATE /
*NASIONALE
SENIOR SERTIFIKAAT***

GRADE/GRAAD 12

JUNE/JUNIE 2024

**MATHEMATICS P1 MARKING GUIDELINE/
*WISKUNDE V1 NASIENRIGLYN***

MARKS/PUNTE: **150**

This marking guideline consists of 17 pages./
Hierdie nasienriglyn bestaan uit 17 bladsye.



**SA EXAM
PAPERS**



NOTE/LET OP:

- If a candidate answered a question TWICE, mark the FIRST attempt ONLY.
Indien 'n kandidaat 'n vraag TWEE keer beantwoord het, merk SLEGS die EERSTE poging.
- Consistent accuracy(CA) applies in ALL aspects of the memorandum.
Volgehoue akkuraatheid geld deurgaans in ALLE aspekte van die memorandum.
- If a candidate crossed out an attempt of a question and did not redo the question, mark the crossed-out attempt.
Indien 'n kandidaat 'n poging vir 'n vraag deurgetrek het en nie die vraag weer beantwoord het nie, merk die poging wat deurgetrek is.
- The mark for substitution is awarded for substitution into the correct formula.
Die punt vir substitusie word toegeken vir substitusie in die korrekte formule.

QUESTION 1/VRAAG 1

<p>1.1.1</p> $x^2 - 8(x - 2) = 25$ $x^2 - 8x + 16 - 25 = 0$ $x^2 - 8x - 9 = 0$ $(x+1)(x-9) = 0$ $x+1=0 \text{ or/of } x-9=0$ $x=-1 \text{ or/of } x=9$ OR / OF $x^2 - 8x - 9 = 0$ $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$ $= \frac{-(-8) \pm \sqrt{(-8)^2 - 4(1)(-9)}}{2(1)}$ $= \frac{8 \pm \sqrt{100}}{2}$ $x = -1 \text{ or / of } x = 9$	<p>✓ standard form / standaardvorm ✓ factors / faktore</p> <p>✓ both answers / beide antwoorde (3)</p> <p>OR / OF</p> <p>✓ standard form / standaardvorm</p> <p>✓ correct substitution into correct formula / korrekte vervanging in korrekte formule</p> <p>✓ both answers / beide antwoorde (3)</p>
<p>1.1.2</p> $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$ $x = \frac{-(2) \pm \sqrt{(2)^2 - 4(-3)(2)}}{2(-3)}$ $x = \frac{-2 \pm \sqrt{28}}{-6}$ $\therefore x = -0,55 \text{ or / of } x = 1,22$	<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> <p>Penalise 1 mark for incorrect rounding off./ Penaliseer 1 punt vir verkeerde afronding.</p> </div> <p>✓ substitution / vervanging</p> <p>✓✓ x-values / x-waardes (3)</p>



1.1.3	$(x+3)(5-x) \leq 0$ $(x+3)(x-5) \geq 0$ <p>critical values/kritieke waardes</p> $x = -3 \text{ or } x = 5$   $x \leq -3 \text{ or } x \geq 5, x \in \mathbb{R}$ <p>OR/OF</p> $x \in (-\infty; -3] \text{ or } x \in [5; \infty), x \in \mathbb{R}$	✓ critical values / kritieke waardes ✓✓ $x \leq -3 \text{ or } x \geq 5, x \in \mathbb{R}$ (accuracy / akkuraatheid) OR/OF $x \in (-\infty; -3] \text{ or } x \in [5; \infty), x \in \mathbb{R}$ (3)
1.1.4 (a)	$x \leq -5, x \in \mathbb{R}$	✓✓ answer / antwoord (2)
1.1.4 (b)	$x + 3 = \sqrt{x + 5}$ $(x+3)^2 = (\sqrt{x+5})^2$ $x^2 + 6x + 9 = x + 5$ $x^2 + 5x + 4 = 0$ $(x+1)(x+4) = 0$ $\therefore x = -1 \text{ or } x = -4$	✓ isolating surd / isoleer wortelvorm ✓ square both sides / kwadreer beide kante ✓ standard form / standaardvorm ✓ selection / keuse (4)



1.2	$y + 2x = 5 \dots\dots\dots\dots\dots(1)$ $2x^2 - xy - 4y^2 = 8 \dots\dots(2)$ <i>From / Vanaf (1):</i> $y = -2x + 5 \dots\dots\dots\dots(3)$ (3) into/in (2): $2x^2 - x(-2x+5) - 4(-2x+5)^2 = 8$ $2x^2 - x(-2x+5) - 4(4x^2 - 20x + 25) - 8 = 0$ $2x^2 + 2x^2 - 5x - 16x^2 + 80x - 100 - 8 = 0$ $-12x^2 + 75x - 108 = 0$ $4x^2 - 25x + 36 = 0$ $(4x-9)(x-4) = 0$ $x = \frac{9}{4} \text{ or/of } x = 4$ $y = \frac{1}{2} \text{ or/of } y = -3$	✓ $y = -2x + 3$ ✓ substitution / vervanging ✓ standard form / standaardvorm ✓ factors / faktore ✓ x -values / waardes ✓ y -values / waardes
		(6)
1.3	For M to be a maximum, the denominator must be a minimum. <i>Vir M om 'n maksimum te wees, moet die noemer 'n minimum wees.</i> <i>Min. value of denominator is at</i> $x = \frac{-b}{2a} = \frac{-(-4)}{2(1)} = 2$ <i>Min. value / waarde = $(2)^2 - 4(2) + 8 = 4$</i> <i>∴ Max. value of / Maks.waarde van :</i> $M = \frac{108}{4} = 27$	✓ denominator to be minimum / noemer moet minimum wees ✓ value of x for minimum denominator / waarde van x vir minimum noemer ✓ minimum value / minimumwaarde ✓ answer / antwoord
		(4)
		[25]



QUESTION 2/VRAAG 2

2.1.1	$T_{43} = a + 42d$ $= 2 + 42(-5)$ $= -208$	✓ value of d / waarde van d ✓ substitution / vervanging ✓ answer / antwoord (3)
2.1.2	$S_n = \frac{n}{2}[a + l]$ $S_{43} = \frac{43}{2}[2 + (-208)]$ OR / OF $S_{43} = \frac{43}{2}[2(2) + (43-1)(-5)]$ $= -4429$ $S_n = \frac{n}{2}[2a + (n-1)d]$ $S_{43} = \frac{43}{2}[2(2) + (43-1)(-5)]$ $= -4429$	✓ substitution / vervanging ✓ answer / antwoord (2)
2.1.3	$T_n = -5n + 7 = -2023$ $-5n = -2030$ $n = 406$	✓ general term / algemene term ✓ equating to -2030 / gelykstel aan -2030 ✓ answer / antwoord (3)
2.2.1	$r = \frac{2(3x-1)^2}{2(3x-1)} = 3x-1$ For convergence / Vir konvergensie: $-1 < r < 1$ $\therefore -1 < 3x-1 < 1$ $0 < 3x < 2$ $0 < x < \frac{2}{3}$	✓ value r i.t.o x / waarde van r i.t.v x ✓ substitution / vervanging ✓ answer / antwoord (3)
2.2.2	$T_1 = 2(3(\frac{1}{2})-1)^1 = 1$ $T_2 = 2(3(\frac{1}{2})-1)^2 = \frac{1}{2}$ $\Rightarrow r = \frac{1}{2}$ $T_3 = 2(3(\frac{1}{2})-1)^3 = \frac{1}{4}$ $S_\infty = \frac{a}{1-r}$ $= \frac{1}{1-\frac{1}{2}}$ $= 2$	✓ first 3 terms and r / eerste 3 terme en r ✓ substitution / vervanging ✓ answer / antwoord (3)



2.3	$a + ar + ar^2 = 21 \dots\dots\dots(1)$ $a \times ar \times ar^2 = 64 \dots\dots\dots(2)$ $(ar)^3 = (4)^3$ $ar = 4$ $a = \frac{4}{r} \dots\dots\dots(3)$ <p>(3) into/in (1):</p> $\frac{4}{r} + \frac{4}{r} \times r + \frac{4}{r} \times r^2 = 21$ $4r^2 - 17r + 4 = 0$ $(4r - 1)(r - 4) = 0$ $r = \frac{1}{4} \text{ or / of } r = 4$ $\Rightarrow a = 1$	✓ equations 1 and 2 / vergelykings 1 en 2 ✓ $a = \frac{4}{r}$ ✓ substitution / vervanging ✓ answer / antwoord
		(4) [18]



QUESTION 3/VRAAG 3

3.1	$\begin{array}{ccccccc} 3 & ; & 12 & ; & 33 & ; & \dots \\ 9 & ; & 21 & ; & 33 & ; & \\ & 12 & & 12 & & & \end{array}$ $T_4 = 66$	✓ answer / antwoord (1)
3.2	$\begin{array}{lll} 2a = 12 & 3(6) + b = 9 & 6 - 9 + c = 3 \\ a = 6 & b = -9 & c = 6 \\ T_n = 6n^2 - 9n + 6 & & \end{array}$	✓ $a = 6$ ✓ $b = -9$ ✓ $c = 6$ (3)
3.3	$\begin{array}{l} t_n = 12n - 3 = 345 \\ 12n = 348 \\ n = 29 \\ \Rightarrow T_{29} \text{ & } T_{30} \end{array}$ <p style="text-align: center;">OR / OF</p> $\begin{array}{l} T_{n+1} - T_n = 345 \\ 6(n+1)^2 - 9(n+1) + 6 - 6n^2 + 9n - 6 = 345 \\ 6n^2 + 12n + 6 - 9n - 9 + 6 - 6n^2 + 9n - 6 - 345 = 0 \\ 12n - 348 = 0 \\ 12n = 348 \\ n = 29 \\ \Rightarrow T_{29} \text{ & } T_{30} \end{array}$ <p style="text-align: center;">OR / OF</p> $\begin{array}{l} \text{by inspection: / deur inspeksie:} \\ T_{30} = 6(30)^2 - 9(30) + 6 = 5136 \\ T_{29} = 6(29)^2 - 9(29) + 6 = 4791 \\ T_{30} - T_{29} = 5136 - 4791 = 345 \end{array}$	✓ equating / gelykstel ✓ value of n / waarde van n ✓ answer / antwoord OR / OF ✓ substitution / vervanging ✓ expanding / uitbreiding ✓ answer / antwoord OR / OF ✓ $T_{30} = 5136$ ✓ $T_{29} = 4791$ ✓ $T_{30} - T_{29} = 345$ (3)
		[7]



QUESTION 4/VRAAG 4

4.1	D($-2; -8$)	✓ answer / antwoord (1)
4.2	$x = -2$ and $y = 1$	✓ $x = -2$ and/en ✓ $y = 1$ (2)
4.3.1	$0 = a(x+2)^2 - 8$ $8 = 4a$ $2 = a$ $\Rightarrow g(x) = 2(x+2)^2 - 8$	✓ substitution / vervanging ✓ answer / antwoord (2)
4.3.2	$2(x+2)^2 - 8 = 0$ $(x+2)^2 = 4$ $x+2 = \pm 2$ $\therefore x = 0$ or / of $x = -4$ OA = 4 units / eenhede	✓ equating to 0 / stel gelyk aan 0 ✓ solving for x / los op vir x ✓ answer / antwoord
	OR / OF	OR / OF
	Using symmetry of parabola / Gebruik van simmetrie van parabool O($0 ; 0$) is 2 units away from axis of symmetry O($0 ; 0$) is 2 eenhede vanaf simmetriee-as	✓ use of symmetry / gebruik van simmetrie
	Therefore, coordinates of A($-4 ; 0$) Daarom is die koördinate van A($-4 ; 0$)	✓ coordinates of A / koördinate van A
	⇒ Length of OA = 4 units ⇒ Lengte van OA = 4 eenhede	✓ answer / antwoord (3)
4.3.3	Range of / Terrein van f : $y \neq 1$; $y \in \mathbb{R}$	✓ answer / antwoord (1)
4.3.4	$y = -x$ $\therefore y = -(x+2)+1$ $y = -x-1$	✓ method / metode ✓ answer / antwoord (2)
4.4.1	$x \in (-4 ; 0)$	✓✓ answer / antwoord (2)
4.4.2	$x \leq -4$ or / of $x \geq -2$	✓✓ answer / antwoord (2)
4.5	$-8 < k < 0$	✓ -8 ✓ 0 ✓ answer / antwoord (A) (3)
		[18]



QUESTION 5/VRAAG 5

5.1	C(0 ; 1)	✓ answer / antwoord (1)
5.2	Range of / Waardeversameling van f : $y \in (0 ; \infty)$	✓ answer / antwoord (1)
5.3	$y = 3^x$ $x = 3^y$ $\therefore y = \log_3 x$	✓ interchanging x and y / omruil van x en y ✓ answer / antwoord (2)
5.4	$\log_3 x < -1$ $\Rightarrow x < 3^{-1}$ $x < \frac{1}{3}$ but / maar $x > 0$ $\therefore 0 < x < \frac{1}{3}$	✓ $x < \frac{1}{3}$ ✓ answer / antwoord (2)
5.5	$g(x) = -x + 1$ $0 = -x + 1$ $x = 1$ $\Rightarrow P(1; 0)$ $y = 3^x = 3^1 = 3$ $\Rightarrow Q(1; 3)$ $y = 3^{-2} = \frac{1}{9}$ $\Rightarrow S(-2; \frac{1}{9})$	✓ coordinates of P / koördinate van P ✓ coordinates of Q / koördinate van Q ✓ coordinates of R / koördinate van R ✓ coordinates of S / koördinate van S (4)
5.6	$f(x) = 3^x$ $p(x) = 3(3)^x - 2 = 3^{x+1} - 2$ \Rightarrow Horizontal shift of 1 unit to the left Vertical shift of 2 units down <i>Horizontale skuif van 1 eenheid na links</i> <i>Vertikale skuif van 2 eenhede af</i>	✓ horizontal shift / horisontale skuif ✓ vertical shift / vertikale skuif (2)
		[12]



QUESTION 6/VRAAG 6

6.1	$A = P(1-i)^n$ $20\ 000 = 80\ 000(1-i)^5$ $(1-i)^5 = 0,25$ $1-i = 0,7578582833$ $i = 0,242141\dots$ <p>\therefore Annual rate of depreciation, r <i>Jaarlikse verminderingskoers, r</i> $= 24,21\%$</p>	<ul style="list-style-type: none"> ✓ substitution / <i>vervanging</i> ✓ simplification / <i>vereenvoudiging</i> ✓ answer / <i>antwoord</i> (3)
6.2	$1+i_{eff} = \left(1 + \frac{i_{nom}}{m}\right)^m$ $= \left(1 + \frac{8,5\%}{4}\right)^4$ $i_{eff} = \left(1 + \frac{8,5\%}{4}\right)^4 - 1$ $= 0,0877\dots$ <p>effective rate / <i>effektiewe koers</i> = 8,77% p.a.</p>	<ul style="list-style-type: none"> ✓ substitution / <i>vervanging</i> ✓ simplification / <i>vereenvoudiging</i> ✓ answer / <i>antwoord</i> (3)
6.3.1	$A = P(1+i)^n$ $= x \left(1 + \frac{11\%}{12}\right)^{36}$ $= 1,39x$	<ul style="list-style-type: none"> ✓ substitution / <i>vervanging</i> ✓ answer / <i>antwoord</i> (2)



<p>6.3.2</p> $\left[\left(x \left(1 + \frac{11\%}{12} \right)^{36} + 15000 \right) \left(1 + \frac{11\%}{12} \right)^{24} - 7000 \right] \left(1 + \frac{12\%}{2} \right)^6 = 90132,56$ $x = \left[\left(\frac{90132,56}{\left(1 + \frac{12\%}{2} \right)^6} + 7000 \right) \div \left(1 + \frac{11\%}{12} \right)^{24} - 15000 \right] \div \left(1 + \frac{11\%}{12} \right)^{36}$ $= R30 000,00$	<ul style="list-style-type: none"> ✓ $\left(x \left(1 + \frac{11\%}{12} \right)^{36} + 15000 \right)$ ✓ $\left(1 + \frac{11\%}{12} \right)^{24} - 7000$ ✓ $\times \left(1 + \frac{12\%}{2} \right)^6$ and equating to R90 132,56 / en gelyk stel aan R90 132,56 ✓ simplification / vereenvoudiging ✓ answer / antwoord <p>(5)</p>
<p>OR / OF</p> $x \left(1 + \frac{11\%}{12} \right)^{36} + 15000 = 1,388878629x + 15000$ $(1,388878629x + 15000) \left(1 + \frac{11\%}{12} \right)^{24} = 1,72891573x + 18672,43$ $(1,72891573x + 18672,43 - 7000) \left(1 + \frac{12\%}{2} \right)^6 = 90132,56$ $2,4525x + 16557,56 = 90132,56$ $2,4525x = 73575,00$ $x = R30 000,00$	<p>OR / OF</p> <ul style="list-style-type: none"> ✓ $x \left(1 + \frac{11\%}{12} \right)^{36} + 15000$ ✓ $(1,388878629x + 15000) \left(1 + \frac{11\%}{12} \right)^{24}$ and subtracting R7 000 en afstrekking van R7 000 ✓ $\times \left(1 + \frac{12\%}{2} \right)^6$ and/en equating to R90 132,56 / en gelyk stel aan R90 132,56 ✓ simplification / vereenvoudiging ✓ answer / antwoord <p>(5)</p>




QUESTION 7/VRAAG 7

<p>7.1</p> $f'(x) = \lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h}$ $= \lim_{h \rightarrow 0} \frac{\frac{1}{2}(x+h)^2 - \frac{1}{2}x^2}{h}$ $= \lim_{h \rightarrow 0} \frac{\frac{1}{2}x^2 + xh + \frac{1}{2}h^2 - \frac{1}{2}x^2}{h}$ $= \lim_{h \rightarrow 0} \frac{xh + \frac{1}{2}h^2}{h}$ $= \lim_{h \rightarrow 0} \frac{h(x + \frac{1}{2}h)}{h}$ $= \lim_{h \rightarrow 0} \left(x + \frac{1}{2}h \right)$ $= x$	<p>Answer ONLY: 0 marks SLEGS antwoord: 0 punte</p>	<p>Penalise 1 mark for incorrect notation in this question Penaliseer 1 punt vir verkeerde notasie in hierdie</p>	<p>✓ $\frac{1}{2}x^2 + xh + \frac{1}{2}h^2$ ✓ simplification / vereenvoudiging ✓ factorisation / faktorisering ✓ answer / antwoord (4)</p>
<p>7.2.1</p> $f(x) = \frac{1}{5}x^5 - 6x^{-2}$ $f'(x) = x^4 + 12x^{-3}$ $= x^4 + \frac{12}{x^3}$			<p>✓ x^4 ✓ $12x^{-3}$ (2)</p>
<p>7.2.2</p> $\frac{d}{dx} (x + \sqrt{x})^2$ $= \frac{d}{dx} (x^2 + 2x\sqrt{x} + x)$ $= \frac{d}{dx} (x^2 + 2x^{\frac{3}{2}} + x)$ $= 2x + 3x^{\frac{1}{2}} + 1$ $= 2x + 3\sqrt{x} + 1$	<p>(ENRICHMENT / VERRYKING)</p> <p>OR / OF Chain Rule / Kettingregel</p>	$= 2(x + \sqrt{x})(1 + \frac{1}{2}x^{-\frac{1}{2}})$ $= 2(x + \frac{1}{2}x^{\frac{1}{2}} + x^{\frac{1}{2}} + \frac{1}{2})$ $= 2x + 3x^{\frac{1}{2}} + 1$ $= 2x + 3\sqrt{x} + 1$	<p>✓ $x^2 + 2x^{\frac{3}{2}} + x$ ✓✓✓ answer / antwoord (4)</p>



QUESTION 8/VRAAG 8

8.1.1	$f(x) = -x^3 + 12x - 16$ $f(2) = -(2)^3 + 12(2) - 16$ $= -8 + 24 - 16$ $= 0$ $\therefore (x-2) \text{ is a factor / is 'n faktor}$	✓ substitution / vervanging ✓ answer = 0 / antwoord = 0 (2)
8.1.2	$f(x) = -x^3 + 0x^2 + 12x - 16$ $= (x-2)(-x^2 - 2x + 8)$ $= (x-2)(x-2)(-x-4)$ <p>Let / Laat $f(x) = 0$</p> $\therefore x = 2 ; x = 2 ; x = -4$	✓ $(-x^2 - 2x + 8)$ ✓ $(x-2)(-x-4)$ ✓ $x = 2 ; x = 2 ; x = -4$ (3)
8.1.3	$f'(x) = -3x^2 + 12 = 0$ $-3x^2 = -12$ $x^2 = 4$ $x = \pm 2$ $\therefore (2; 0) \text{ & } (-2; -32)$	✓ $f'(x) = 0$ ✓ simplification / vereenvoudiging ✓ x-values / x-waardes ✓ y-values / y-waardes (4)
8.1.4		✓ x-intercepts / x-afsnitte and/en y-intercept / y-afsnit ✓ turning points / draaipunte ✓ shape / vorm (3)



8.1.5	$f(x) = -x^3 + 12x - 16$ $f'(x) = -3x^2 + 12$ $f''(x) = -6x = 0$ $x = 0 ; y = -16 \quad \text{OR / OF} \quad (\text{otherwise / andersins})$ Point of inflection / <i>infleksie- / buigpunt:</i> $(0 ; -16)$ $m = f'(0) = -3(0)^2 + 12 = 12$ $y - (-16) = 12(x - 0)$ $y = 12x - 16$	✓ <i>x</i> -coordinate / <i>x</i> -koördinaat ✓ <i>y</i> -coordinate / <i>y</i> -koördinaat ✓ gradient of tangent <i>gradiënt van raaklyn</i> ✓ equation of tangent <i>vergelyking van raaklyn</i> (4)
8.2.1	$x \in \mathbb{R}$ (Accept / <i>Aanvaar</i> $x \neq 0$)	✓✓ answer / <i>antwoord</i> (2)
8.2.2	$x > 0$	✓✓ answer / <i>antwoord</i> (2)
		[20]



QUESTION 9/VRAAG 9

9.1	$\begin{aligned} PQ &= \sqrt{x^2 + x^2} \\ &= \sqrt{2}x \\ QR &= \sqrt{2(200-x)^2} = \sqrt{2}(200-x) \end{aligned}$ $\begin{aligned} \text{Area / Oppervlakte} &= l \times b \\ &= \sqrt{2}x \times \sqrt{2}(200-x) \\ &= 2(200x - x^2) \end{aligned}$	✓ $PQ = \sqrt{2}x$ ✓ $QR = \sqrt{2}(200-x)$ ✓ substitution into area formula <i>vervanging in oppervlakte formule</i> (3)
9.2	$\begin{aligned} A(x) &= 400x - 2x^2 \\ A'(x) &= 400 - 4x = 0 \\ 400 &= 4x \\ 100 \text{ cm} &= x \end{aligned}$	✓ $A'(x) = 0$ ✓ answer / antwoord (3)
9.3	$\begin{aligned} \text{Max area of } PQRS / \text{Maks. oppervlakte van } PQRS \\ &= 400(100) - 2(100)^2 \\ &= 40000 - 20000 \\ &= 20000 \text{ cm}^2 \\ \text{Area / Oppervlakte } ABCD &= 200 \times 200 = 40000 \text{ cm}^2 \\ \text{Ratio / Verhouding is } 1:2 \quad \text{OR / OF } \frac{1}{2} \end{aligned}$	✓ max. area of PQRS <i>Maks. oppervlakte van PQRS</i> ✓ area of ABCD / oppervlakte van ABCD ✓ answer / antwoord (3)
		[9]



QUESTION 10/VRAAG 10

10.1.1	<p>NO / NEE $P(A \text{ and/en } B) = P(A) \times P(B)$ $= 0,6 \times 0,5$ $= 0,3$ $\therefore P(A \text{ and/en } B) \neq 0$</p>	<p>✓ No / Nee ✓ valid reason / geldige rede</p>
10.1.2		<p>✓ $(A \text{ and/en } B) = 0,3$ ✓ $A(\text{only/alleen}) = 0,3$ and $B(\text{only/alleen}) = 0,2$ ✓ $\text{not}(A \text{ or } B) = 0,2$ $\text{nie}(A \text{ of } B) = 0,2$</p>
10.1.3 (a)	$P(\text{only/slegs } A) = 0,6 - 0,3$ $= 0,3$	<p>✓ answer / antwoord</p>
10.1.3 (b)	$P(\text{not } A \text{ or not } B) / P(\text{nie } A \text{ of nie } B)$ $= P(\text{not } A) + P(\text{not } B) - P(\text{not } A \text{ and not } B)$ $P(\text{nie } A) + P(\text{nie } B) - P(\text{nie } A \text{ en nie } B)$ $= 0,4 + 0,5 - 0,2$ $= 0,7$ OR / OF $P(\text{not } A \text{ or not } B) = 1 - P(A \text{ and } B)$ $P(\text{nie } A \text{ of nie } B) = 1 - P(A \text{ en } B)$ $= 1 - 0,3$ $= 0,7$	<p>✓ rule / reël ✓ answer / antwoord</p> <p>OR / OF</p> <p>✓ rule / reël ✓ answer / antwoord</p>



10.2.1	$P(\text{Girl} / \text{Meisie}) = \frac{62}{100}$	✓ answer / antwoord (1)
10.2.2	$P(\text{Boy} / \text{Seun}) = \frac{38}{100} \quad \& \quad P(\text{Like camping} / \text{Hou van kamp}) = \frac{54}{100}$ $P(\text{Boy} / \text{Seun}) \times P(\text{Like camping} / \text{Hou van kamp})$ $= \frac{38}{100} \times \frac{54}{100}$ $= 0,2025$ $P(\text{Boy and Like camping}) / P(\text{Seun en Hou van kamp})$ $= \frac{24}{100}$ $= 0,24$ $\Rightarrow \text{Events are not independent} / \text{Gebeurtenisse is nie onafhanklik nie}$	✓ $P(\text{Boy}) \times P(\text{like camping})$ ✓ $P(\text{Seun}) \times P(\text{hou van kamp})$ ✓ answer / antwoord ✓ $P(\text{Boy and Like camping})$ ✓ $P(\text{Seun en hou van kamp})$ ✓ conclusion / gevolgtrekking (4)
10.3	Ratio / Verhouding : Green/Groen : Red/Rooi $3x : 4x$ Green+Red / Groen + Rooi = $7x$ New Ratio / Nuwe verhouding : Green/Groen: Red/Rooi $3x+3 : 4x+2$ Green+Red / Groen + Rooi = $7x+5$ $\Rightarrow \frac{3x+3}{7x+5} = \frac{6}{13}$ $39x+39 = 42x+30$ $9 = 3x$ $3 = x$ Green / Groen = 9 balls / balle Red / Rooi = 12 balls / balle	✓ ratio in terms of x ✓ new ratio in terms of x ✓ $\frac{3x+3}{7x+5} = \frac{6}{13}$ ✓ value of x / waarde van x ✓ answer / antwoord (5)
		[18]
		TOTAL/TOTAAL: 150

